

# Datasheet

Generated on: 2026-09-28 22:12

**BuyLabels**

support@buylabels.eu

## Product

|                |                                                                   |
|----------------|-------------------------------------------------------------------|
| Product name   | Dymo 11352 compatible labels, 25 x 54mm, 500 labels, freezer-safe |
| Article number | 11352-FR                                                          |
| Sold per       | 1 roll                                                            |
| Unit           | roll / rolls                                                      |
| Weight         | 125.5 g per roll                                                  |



## Compatible printers

|      |                                                                                                                                                                                                                                                                                                                      |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Dymo | LabelWriter 4XL, LabelWriter 310, LabelWriter 320, LabelWriter 330, LabelWriter 330 Turbo, LabelWriter 400, LabelWriter 400 Duo, LabelWriter 400 Turbo, LabelWriter 400 Twin Turbo, LabelWriter 450, LabelWriter 450 Duo, LabelWriter 450 Turbo, LabelWriter 450 Twin Turbo, LabelWriter SE450, LabelWriter Wireless |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Identification

|                 |          |
|-----------------|----------|
| Compatible with | S0722520 |
|-----------------|----------|

## Dimensions

|                 |             |
|-----------------|-------------|
| Width           | 25 mm       |
| Height          | 54 mm       |
| Labels per roll | 500         |
| Core diameter   | 25 mm       |
| Corner radius   | 2 mm        |
| Shape           | Rectangular |

## Roll / detection

|                    |               |
|--------------------|---------------|
| Perforation        | No            |
| Winding            | Outside wound |
| Sensor / detection | Index mark    |
| Detection gap      | Yes           |
| Black mark         | Yes           |

## Material and adhesive

|                 |                        |
|-----------------|------------------------|
| Material        | Polypropylene          |
| Printing method | Direct thermal         |
| Colour          | White                  |
| Glue            | Permanent freezer-safe |
| Adhesive weight | 15 g/m <sup>2</sup>    |
| Thermal coating | TOP / topcoated        |
| Ribbon required | No                     |

## Use and compliance

|                              |                                                                                                                                                                                                                                   |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Attention                    | NOT suitable for Dymo LW 550<br>NOT suitable for Dymo LW 550 Turbo<br>NOT suitable for Dymo LW 5XL                                                                                                                                |
| Use temperature              | -20 °C to 60 °C                                                                                                                                                                                                                   |
| Minimum labeling temperature | -15 °C                                                                                                                                                                                                                            |
| Storage conditions           | For optimal processing and preservation of material properties, store in the original closed packaging at 23°C (±2°C) and 50% relative humidity. Avoid direct exposure to UV light, high temperatures, moisture and heat sources. |
| REACH-compliant              | Yes                                                                                                                                                                                                                               |
| BPA-free                     | Yes                                                                                                                                                                                                                               |
| BPS-free                     | Yes                                                                                                                                                                                                                               |
| BPF-free                     | Yes                                                                                                                                                                                                                               |
| Phthalate-free               | Yes                                                                                                                                                                                                                               |
| Test type                    | REACH / SVHC                                                                                                                                                                                                                      |
| Tested material              | Thermal paper                                                                                                                                                                                                                     |
| Test institute               | Centre Testing International Group Co., Ltd. Shunde Branch                                                                                                                                                                        |
| Test report number           | A2260008945102007                                                                                                                                                                                                                 |
| Test report date             | 2026-01-14                                                                                                                                                                                                                        |
| SVHC limit                   | max. 0,1% w/w                                                                                                                                                                                                                     |
| REACH test result            | PASS                                                                                                                                                                                                                              |

## Packaging and logistics

|                             |                                |
|-----------------------------|--------------------------------|
| Units per outer carton      | 100                            |
| Mini pallet (80 × 60 cm)    | 9 outer cartons / 900 units    |
| Euro pallet (120 × 80 cm)   | 24 outer cartons / 2,400 units |
| Block pallet (120 × 100 cm) | 48 outer cartons / 4,800 units |

## Regulatory & trade information

---

|                                  |                                                                                 |
|----------------------------------|---------------------------------------------------------------------------------|
| EU responsible economic operator | BuyLabels<br>Pieter Schotsmanstraat 42<br>1931 AR Egmond aan Zee<br>Netherlands |
| Country of origin                | CN                                                                              |
| HS code                          | 3919108090                                                                      |
| Customs description              | Self-adhesive plastic labels                                                    |

## Product page

---

<https://www.buylabels.eu/dymo-11352-compatible-labels-25-x-54mm-500-labels-freezer-safe>

Scan the QR code to open the product page or place an order.



### Contact

BuyLabels  
Pieter Schotsmanstraat 42  
1931 AR Egmond aan Zee  
Netherlands  
[support@buylabels.eu](mailto:support@buylabels.eu)

---

This datasheet is generated automatically from the available product data. No rights can be derived from this document.