

# Datasheet

Generated on: 2026-09-28 21:14

**BuyLabels**

support@buylabels.eu

## Product

|                |                                                         |
|----------------|---------------------------------------------------------|
| Product name   | Brother DK-11218 compatible labels, Ø 24mm, 1000 labels |
| Article number | DK-11218                                                |
| Sold per       | 1 piece                                                 |
| Unit           | piece / pieces                                          |
| EAN            | 6975721660052                                           |
| Weight         | 265 g per piece                                         |



## Compatible printers

|         |                                                                                                                                                                                                              |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Brother | QL-500, QL-550, QL-560, QL-570, QL-570VM, QL-580N, QL-600, QL-650TD, QL-700, QL-710W, QL-720NW, QL-800, QL-810W, QL-810Wc, QL-820NWB, QL-820NWBc, QL-1050, QL-1050N, QL-1060N, QL-1100, QL-1100C, QL-1110NWB |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Identification

|                 |          |
|-----------------|----------|
| Compatible with | DK-11218 |
|-----------------|----------|

## Dimensions

|                 |       |
|-----------------|-------|
| Labels per roll | 1000  |
| Corner radius   | 2 mm  |
| Shape           | Round |
| Diameter        | 24 mm |

## Roll / detection

|                    |              |
|--------------------|--------------|
| Perforation        | No           |
| Winding            | Inside wound |
| Sensor / detection | Black mark   |
| Detection gap      | No           |
| Black mark         | Yes          |

## Material and adhesive

|                 |                     |
|-----------------|---------------------|
| Material        | Paper               |
| Printing method | Direct thermal      |
| Colour          | Black on white      |
| Glue            | Permanent           |
| Adhesive weight | 15 g/m <sup>2</sup> |
| Thermal coating | TOP / topcoated     |
| Ribbon required | No                  |

## Use and compliance

|                    |                                                                                                                                                                                                                                   |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Storage conditions | For optimal processing and preservation of material properties, store in the original closed packaging at 23°C (±2°C) and 50% relative humidity. Avoid direct exposure to UV light, high temperatures, moisture and heat sources. |
| REACH-compliant    | Yes                                                                                                                                                                                                                               |
| BPA-free           | Yes                                                                                                                                                                                                                               |
| BPS-free           | Yes                                                                                                                                                                                                                               |
| BPF-free           | Yes                                                                                                                                                                                                                               |
| Phthalate-free     | Yes                                                                                                                                                                                                                               |
| Test type          | REACH / SVHC                                                                                                                                                                                                                      |
| Tested material    | Thermal paper                                                                                                                                                                                                                     |
| Test institute     | Centre Testing International Group Co., Ltd. Shunde Branch                                                                                                                                                                        |
| Test report number | A2260008945102007                                                                                                                                                                                                                 |
| Test report date   | 2026-01-14                                                                                                                                                                                                                        |
| SVHC limit         | max. 0,1% w/w                                                                                                                                                                                                                     |
| REACH test result  | PASS                                                                                                                                                                                                                              |

## Packaging and logistics

|                             |                                |
|-----------------------------|--------------------------------|
| Units per outer carton      | 20                             |
| Mini pallet (80 × 60 cm)    | 20 outer cartons / 400 units   |
| Euro pallet (120 × 80 cm)   | 66 outer cartons / 1,320 units |
| Block pallet (120 × 100 cm) | 72 outer cartons / 1,440 units |

## Regulatory & trade information

---

|                                  |                                                                                 |
|----------------------------------|---------------------------------------------------------------------------------|
| EU responsible economic operator | BuyLabels<br>Pieter Schotsmanstraat 42<br>1931 AR Egmond aan Zee<br>Netherlands |
| Country of origin                | CN                                                                              |
| HS code                          | 4821901000                                                                      |
| Customs description              | Self-adhesive paper labels                                                      |

## Product page

---

<https://www.buylabels.eu/brother-dk-11218-labels-o-24mm-1000-labels>

Scan the QR code to open the product page or place an order.



### Contact

BuyLabels  
Pieter Schotsmanstraat 42  
1931 AR Egmond aan Zee  
Netherlands  
[support@buylabels.eu](mailto:support@buylabels.eu)