

# Datasheet

Generated on: 2026-09-28 21:44

BuyLabels

support@buylabels.eu

## Product

|                |                                                  |
|----------------|--------------------------------------------------|
| Product name   | Zebra compatible labels, 120 x 80mm, 1600 labels |
| Article number | Z-120-80-76                                      |
| Sold per       | 1 piece                                          |
| Unit           | piece / pieces                                   |
| Weight         | 3350 g per piece                                 |



## Compatible printers

|       |                                                                              |
|-------|------------------------------------------------------------------------------|
| Zebra | 140Xi4, 170Xi4, 220Xi4, RZ600, Z6M, ZM600, ZT111, ZT231, ZT420, ZT421, ZT620 |
|-------|------------------------------------------------------------------------------|

## Dimensions

|                 |             |
|-----------------|-------------|
| Width           | 120 mm      |
| Height          | 80 mm       |
| Labels per roll | 1600        |
| Core diameter   | 76 mm       |
| Outer diameter  | 166 mm      |
| Corner radius   | 2 mm        |
| Shape           | Rectangular |

## Roll / detection

|                        |               |
|------------------------|---------------|
| Perforation            | Yes           |
| Winding                | Outside wound |
| Sensor / detection     | Gap detection |
| Spacing between labels | 3 mm          |
| Detection gap          | No            |
| Black mark             | No            |

## Material and adhesive

|                 |                     |
|-----------------|---------------------|
| Material        | Paper               |
| Printing method | Direct thermal      |
| Colour          | White               |
| Glue            | Permanent           |
| Adhesive weight | 15 g/m <sup>2</sup> |
| Thermal coating | TOP / topcoated     |
| Ribbon required | No                  |

## Use and compliance

|                    |                                                                                                                                                                                                                                   |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Applications       | Shipping label                                                                                                                                                                                                                    |
| Storage conditions | For optimal processing and preservation of material properties, store in the original closed packaging at 23°C (±2°C) and 50% relative humidity. Avoid direct exposure to UV light, high temperatures, moisture and heat sources. |
| BPA-free           | Yes                                                                                                                                                                                                                               |
| BPS-free           | Yes                                                                                                                                                                                                                               |
| BPF-free           | Yes                                                                                                                                                                                                                               |
| Phthalate-free     | Yes                                                                                                                                                                                                                               |

## Packaging and logistics

|                             |                              |
|-----------------------------|------------------------------|
| Units per outer carton      | 6                            |
| Mini pallet (80 × 60 cm)    | 20 outer cartons / 120 units |
| Euro pallet (120 × 80 cm)   | 46 outer cartons / 276 units |
| Block pallet (120 × 100 cm) | 46 outer cartons / 276 units |

## Regulatory & trade information

|                                  |                                                                                 |
|----------------------------------|---------------------------------------------------------------------------------|
| EU responsible economic operator | BuyLabels<br>Pieter Schotsmanstraat 42<br>1931 AR Egmond aan Zee<br>Netherlands |
| Country of origin                | CN                                                                              |
| HS code                          | 4821901000                                                                      |
| Customs description              | Self-adhesive paper labels                                                      |

## Product page

<https://www.buylabels.eu/zebra-labels-120-x-80mm-1600-labels>

Scan the QR code to open the product page or place an order.



### Contact

BuyLabels  
Pieter Schotsmanstraat 42  
1931 AR Egmond aan Zee  
Netherlands  
[support@buylabels.eu](mailto:support@buylabels.eu)